



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

**THE REPRODUCTIVE ORGANS OF
EPIPHRAGMOPHORA CALLISTODERMA P. and F.**

BY H. A. PILSBRY.

This species proves to belong to the subgenus *Helminthoglypta*. There is a large dart sack, bearing a two-branched mucous gland. The slender duct divides into two oblong bulbs, which end in slender terminal portions longer than the bulbs, and folded down upon them, as shown in the detail, fig. 1a, where the terminal branch of the left




Fig. 1.—Genitalia of *Epiphragmophora callistoderma*, only the terminal ducts of the female organs drawn. *d.s.*, dart sack; *d.sp.*, duct of the spermatheca; *epi.*, epiphallus; *fl.*, flagellum; *m.gl.*, mucous gland; *pen.*, penis; *r.p.*, retractor muscle of the penis. At *a* the two-branched mucous gland is drawn.

bulb is cut off. The duct of the spermatheca is extremely long, and no branch or diverticulum was observed. The flagellum is longer than the penis + epiphallus. There is a short sheath about the slender base of the penis. The limits of penis and epiphallus are not obvious externally. The penial retractor is inserted 16 mm. from the base of the penis. The length of penis + epiphallus is 30 mm.; of flagellum, 36 mm.; of dart sack 13 mm.; vagina 4 mm. long. The spermathecal duct is slightly over 60 mm. long.

The specimen dissected was one of the original lot.